


Tecnau presents its High Performance Cutter TC 7000 T  
**PINLESS SIMPLA T**  
It has been developed to link Digital Printers and to work "stand-alone".



The **PINLESS SIMPLA T** main features include:

- Unique cartridge design: the cross blade cartridges and the side trimming cartridges are removable and interchangeable for quick and easy on-site maintenance and for quick application changeover.
- Oscillating cross blade cartridge with high precision (1/96") and high durability.
- Vertical cross blade cartridge (3 blade system) for single stroke 1/6" strip cut.
- Vertical cross blade cartridge (3 blade system) for single stroke 0.31" strip cut.
- High speed, up to 30,000 cuts per hour (12" height form).
- Paper loop interface for direct connection to laser printers.
- Base on wheels with blocking device.
- Up to 99 cutting program memory.
- Display and keyboard for programming, information, service.

**Distributed in the United States by GBR Systems Corporation**

800-833-6167 / 860-526-9561 / Fax: 860-526-2747



Internet: [www.gbr.com](http://www.gbr.com) / e-mail: [sales@gbr.com](mailto:sales@gbr.com)

Managing the World's Paper Flow™



GBR Systems Corporation is a subsidiary of Mathias Bauerle GmbH

**GBR**  
SYSTEMS CORPORATION


# APPLICATIONS




PRINTER CUTTER TC CONVEYOR  
TC 7012 T 1007 T TC 0250





PRINTER CUTTER DLS 101 CONVEYOR  
TC 7013 T TC 0250




PRINTER CUTTER TC STACKER  
TC 7012 T 1007 T TC 1200



CUTTER DLS 101 TC 1250 G TC 0310 G  
TC 7013 T




CUTTER TC FOLDER INSERTER CONVEYOR  
TC 7022 T 1007 T TC 0250




PRINTER CUTTER TC CONVEYOR  
TC 7012 T 1007 T TC 0250

SYMCO GROUP


## CARTRIDGES




OSCILLATING BLADE CARTRIDGE  
TC 1010 T/W



SIDE TRIMMING CARTRIDGE  
TC 1002 T



VERTICAL BLADE CARTRIDGE  
TC 1020 T/W (strip cut 1/6")



SIDE TRIMMING &  
CENTRAL KNIFE CARTRIDGE  
TC 1003 T



VERTICAL BLADE  
CARTRIDGE TC 1320 T/W  
(strip cut 0.31")

SYMCO  
GROUP

## TECHNICAL SPECIFICATIONS

### PAPER SPECIFICATION

- paper weight                      Min. 18 lb, max. 35 lb.
- form width                         Max 20"
- form height                        Min 2-5/8", max 99"
- cut strip paper                    Programmable with oscillating blade cartridge TC 1010 T/W,  
1/6" with vertical blade cartridge TC 1020T/W,  
0.31" with vertical blade cartridge TC 1030T/W.
  
- side trimming                    up to 1.0" for side
- paper speed                        99 positions

### SIZE AND WEIGHT

- length                                42"
- width                                 42"
- height                                44"
- weight                                638 lb.

### POWER REQUIREMENT

- 230V/110V – 50/60 Hz
- 1.5 KVA

### SPEED (cuts per hour)

CARTRIDGE		TC 1010 T/W	TC 1020 T/W	TC 1030 T/W
Cut		Single Cut	Strip Cut Single Cut	Strip Cut Single Cut
Height Form	4"	55,000	55,000	55,000
Height Form	8"	45,000	45,000	45,000
Height Form	12"	30,000	30,000	30,000

### SIMPLA CONFIGURATIONS

SIMPLA T	TC 1010 T/W	TC 1020 T/W	TC 1030 T/W	TC 1002 T/W	TC 1003 T/W
TC 7012 T	X			X	
TC 7013 T	X				X
TC 7022 T		X		X	
TC 7023 T		X			X
TC 7032 T			X	X	
TC 7033 T			X		X

**Distributed in the United States by GBR Systems Corporation**

800-833-6167 / 860-526-9561 / Fax: 860-526-2747

Internet: [www.gbr.com](http://www.gbr.com) / e-mail: [sales@gbr.com](mailto:sales@gbr.com)

Managing the World's Paper Flow™

GBR Systems Corporation is a subsidiary of Mathias Bauerle GmbH

